

L Number	Hits	Search Text	DB	Time stamp
-	468682	re\$cycl\$4 re\$us\$4	USPAT; US-PPGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:25
-	4722	(re\$cycl\$4 re\$us\$4) with raw adj material	USPAT; US-PPGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:31
-	309	system with (re\$cycl\$4 re\$us\$4) with raw adj material	USPAT; US-PPGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:32
-	5	system with (re\$cycl\$4 re\$us\$4) with raw adj material and waste adj stream	USPAT; US-PPGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:34
-	1	system and method and data\$base and (re\$cycl\$4 re\$us\$4) with raw adj material and waste adj stream	USPAT; US-PPGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:33
-	1	system and method and data\$base and (re\$cycl\$4 re\$us\$4) with raw adj material and waste adj stream	USPAT; US-PPGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:33
-	88	system and (re\$cycl\$4 re\$us\$4) with raw adj material and waste adj stream	USPAT; US-PPGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:34
-	85	system and method and (re\$cycl\$4 re\$us\$4) with raw adj material and waste adj stream	USPAT; US-PPGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:35
-	1	system and method and (re\$cycl\$4 re\$us\$4) with raw adj material and waste adj stream and data\$base	USPAT; US-PPGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:35
-	1	(re\$cycl\$4 re\$us\$4) with raw adj material and waste adj stream and data\$base	USPAT; US-PPGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:36
-	2	(re\$cycl\$4 re\$us\$4) with raw adj material and waste with stream and data\$base	USPAT; US-PPGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:37
-	57	(re\$cycl\$4 re\$us\$4) with raw adj material and waste with stream and (data\$base data\$store storage)	USPAT; US-PPGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:38
-	0	(re\$cycl\$4 re\$us\$4) with raw adj material and waste with stream and (data\$base data\$store storage) and 707/.cccls.	USPAT; US-PPGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:39
-	51	(re\$cycl\$4 re\$us\$4) with raw adj material and waste with stream and (data\$base data\$store storage) and method and system	USPAT; US-PPGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:40
-	6	(re\$cycl\$4 re\$us\$4) with raw adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with raw adj material	USPAT; US-PPGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:41
-	7	(re\$cycl\$4 re\$us\$4) with raw adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4) adj material	USPAT; US-PPGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:41

	16	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with. (raw re\$us\$4) adj material	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:42
	31	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:45
	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and data\$base	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:43
	0	data\$base and (re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:43
	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and 707/\$.ccls.	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:45
	13	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 09:45
	13	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 and waste	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:02
	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 and waste and semi\$conduct\$4	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 11:49
	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 and waste and (semi\$conduct\$4 chip)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 11:51
	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and method and system and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 and waste and (semi\$conduct\$4 chip) and (price "purchase order" purchase)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:01
	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 and waste and (semi\$conduct\$4 chip) and (price "purchase order" purchase)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:01

	13	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 and waste (re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 with (waste raw re\$cycl\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:08
	8	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 with (waste raw re\$cycl\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:05
	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and stor\$4 with (raw re\$us\$4 re\$cycl\$4) adj material and monitor\$4 and waste and data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:07
	32	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:12
	34	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and stor\$4 with (raw re\$us\$4 re\$cycl\$4) and monitor\$4 and waste	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:10
	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store) and stor\$4 with (raw re\$us\$4 re\$cycl\$4) and monitor\$4 and waste	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:10
	85	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store storage) and stor\$4 with (raw re\$us\$4 re\$cycl\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:11
	1	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and (data\$base data\$store) and stor\$4 with (raw re\$us\$4 re\$cycl\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:11
	19	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and data\$base and monitor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:14
	1730	purchase adj order and purchase and price	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:13
	0	((re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and data\$base and monitor\$4) and (purchase adj order and purchase and price)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:13
	0	(re\$cycl\$4 re\$us\$4) with (raw re\$us\$4 re\$cycl\$4) adj material and waste with stream and data\$base and monitor\$4 and purchase	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:15
	237	data\$base with raw adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:15
	134	data\$base with raw adj material and waste	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:15
	22	data\$base with raw adj material and waste and re\$cycl\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:15

-	6	data\$base with raw adj material and waste and re\$cycl\$4 and stream	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:16
-	5	data\$base with raw adj material and waste and re\$cycl\$4 and stream and monitor\$4	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:21
-	12	data\$base with raw adj material and waste and re\$cycl\$4 and waste and monitor\$4	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:27
-	114	data\$base with raw adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:28
-	0	data\$base with raw adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 with raw	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:29
-	2	data\$base with raw adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:32
-	3	data\$base with (raw re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 12:33
-	5	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:11
-	7	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and price and purchase with order	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 14:25
-	7	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and price and purchase with (order request)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 14:25
-	8	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and price and purchase with (order\$4 request\$4)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 14:30
-	23	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and price and purchase with (order\$4 request\$4)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/12 14:31
-	16	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and price and purchase with (order\$4 request\$4) and (707/\$705/\$).ccls.	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/16 14:15
-	2	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:21
-	0	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and access with data\$base	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:22
-	0	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and access\$4 with data\$base	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:22

		0	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and communicat\$4 with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:23
		0	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and connect\$4 with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:23
		0	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and user with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:24
		0	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and (customer consumer) with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:24
		0	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and (customer user consumer) with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:24
		0	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and waste and (re\$cycl\$4 re\$use\$4) and (waste refuse) and monitor\$4 and (system method) with re\$cycl\$4 and determin\$4 with re\$us\$4 and (customer client user consumer) with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:24
		11	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and price and purchase with (order\$4 request\$4) and (707/\$705/\$).ccls. and data\$base with access\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:27
		3	data\$base with (raw re\$cycl\$4 re\$us\$4) adj material and price and purchase with (order\$4 request\$4) and (707/\$705/\$).ccls. and data\$base with access\$4 with device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 09:27
	8242		waste adj stream	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 14:15
		0	waste adj stream with generat\$4 with raw adj material and waste with (different vari\$4) with raw	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 14:15
		10	waste adj stream with generat\$4 with raw adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/16 14:16